





105 School House Road  
Cheshire, CT 06410  
U.S.A.

**MANUFACTURER OF OUTDOOR POWER EQUIPMENT**

Products for Turf & Lawn care, Rental, Construction, Nursery, Tree Care, Wood Processing & Farm Industries

August 8, 2023

**SOLE SOURCE LETTER**

To Whom It May Concern:

Re: Commercial Products

This letter confirms that, to the best of my knowledge, SALSCO INC., is the sole source distributor for the City of Imperial in regards to commercial products, parts and services. The commercial products are manufactured by Salsco, Inc., and we have the sole rights to sell and distribute this product.

For further information, feel free to contact me at 800-872-5726.

Sincerely,

Salvatore Rizzo/sc  
President  
Salsco, Inc.

203-271-1682  
1-800-872-5726  
203-271-2596 (Fax)  
[sales@salsco.com](mailto:sales@salsco.com)  
[www.salsco.com](http://www.salsco.com)



# Mini-Track Paver Model TP44-TD

**Salsco, INC.**  
LEADER BY DESIGN

 **MADE IN  
THE U.S.A.**

## The Go-Anywhere Mini-Asphalt Paver!



Pictured above the TP44-TD is shown with the 6" Screed Extensions Option, and Loading Panels Option.

*"My Salsco Track Paver is a great little machine. Its durable manufacturing quality & accessibility to parts, make it an efficient machine to use on all my sidewalk & trench jobs. Also, considering the small crew it takes to run, and its overall ease of operation, I know I'm getting maximum productivity whenever it's on the job."* Charlie, Canton, MA

- \* Extra Large Drive Motors for Years of Service!
- \* Designed with Service & Maintenance in Mind!
- \* Clean, Simple, Basic Design!
- \* 0 - 6' Standard Paving Width + Optional Screed Extensions up to 7' Wide!



Tracks are fixed at 38" to accommodate screed style.



Hydraulic End-Gates move in & out, and have rulers on the top of the end gate to see where they are.



Hydraulic Tilt Hopper. Hopper easily bolts together. Raise the complete hopper for ease of maintenance.



Extra Large Cut Off Door with two (2) Cylinders & Flow Regulators that open the door evenly & smoothly.



All controls are on the rear of the machine, including the Key Switch & Throttle.



Two (2) 9" Cast Augers are independently operated both Forward & Reverse.

**Salsco, INC.**  
LEADER BY DESIGN

*Quality of Workmanship, Innovative Design, Built to Last!*

## MINI-TRACK PAVER, MODEL TP44 - TD SPECIFICATIONS & FEATURES

<b>ENGINE:</b>	14HP Hatz diesel, Model 1D81Z-9221, electric start mounted on 1/2" thick steel plate motor mount.
<b>PUMP:</b>	Dual hydrostatic, variable speed. Each section has a displacement of .97 cu. in.
<b>DRIVE MOTORS:</b>	Two (2) drive motors for tracks - 28.7 Cu.In. Displacement. Two (2) drive motors for augers - 24 cu. in. displacement.
<b>HOSES:</b>	SAE JIC hose ends & fittings. 3,000 P.S.I., working, 12,000 P.S.I., burst.
<b>BATTERY:</b>	12 volt, automotive type, 850 CCA.
<b>FUEL TANK:</b>	Steel, 8.9 gallon capacity.
<b>HYDRAULIC TANK:</b>	Steel, 8 gallon capacity
<b>HOPPER:</b>	Dual hopper, 1/4" thick, steel plate. Inside hopper tilts to 52° angle for ease of dumping material. 1.85 sq. yd. capacity
<b>SCREED:</b>	40" wide, with crown/invert adjustment, power end gates and end gate adjustment plates for uniform texture.
<b>AUGER ASSEMBLIES:</b>	Two (2) 9" cast augers, with independent hydraulic drive, forward and reverse.
<b>DRIVE:</b>	Hydrostatic; variable forward and reverse.
<b>TRACK ASSEMBLIES:</b>	Heavy duty Bridgestone tracks. Tracks are fixed at 38" to accommodate screed style.
<b>CONTROLS:</b>	All controls are located at the rear of the machine over the screed, for ease of operation.
<b>MAIN FRAME:</b>	One (1) piece, 1/4" thick steel main frame. 2" x 2" square tubing supports.
<b>WELDS:</b>	Continuous welds where needed for durability.
<b>GUSSETS:</b>	1/4" gussets where needed for strength.
<b>BEARINGS:</b>	Cast iron, heavy duty, greaseable.
<b>CHAINS &amp; SPROCKETS:</b>	#80 chain and sprockets.
<b>PAVING SPEED:</b>	0 - 50' +, per minute.
<b>PAVING WIDTH:</b>	24" to 72".
<b>PAVING THICKNESS:</b>	1/4" - 5".
<b>OPTIONS:</b>	6" Screed Extensions; Hopper Panel Extensions; Cut-Off Plates.
<b>GUARDS/DECALS:</b>	All moving parts guarded. Full set of safety decals.
<b>PAINT:</b>	Powder coat baked enamel polyester finish; resists ultraviolet light. Safety yellow.
<b>DIMENSIONS:</b>	Length: 9' 4" (with step up), Width: 3'8", Height: 3' 11" (from the ground to the top of hopper). Weight: 4,400 lbs. (Approximately)
<b>WARRANTY:</b>	1-year standard warranty

Specifications & Options Subject to Change Without Notice

REV. 10-12-2020

### MANUFACTURER OF OUTDOOR POWER EQUIPMENT

Products for Turf & Lawncare, Rental, Construction, Tree Care, Wood Processing, Nursery & Farm Industries

**3-1/2" - 18" Capacity, Gas, Diesel, & PTO Wood/Brush Chippers - Slab Chippers  
Gas, Electric & Tow Behind Rollers - Tranz-Former Roller - CRV Core Recovery Vehicle  
Mini-Paver - Mini-Track Paver - Cobra Curbers - Scorpion Router - Concrete Paver  
Chipper Shredder Vacuums - Tailgate & Truckloader Vacuums  
9 cu. yds. - 50 cu. yds. Per Hour, Electric, PTO & Diesel Powered Shaving Mills**

***Salsco, INC.***  
LEADER BY DESIGN

105 Schoolhouse Road  
Cheshire, CT 06410 U.S.A.  
800-872-5726 (Toll Free), 203-271-1682, 203-271-2596 (Fax)  
[www.salsco.com](http://www.salsco.com), [sales@salsco.com](mailto:sales@salsco.com)